

Novel Metamaterial Cell-Based Resonator Antenna with Broadside Radiation Pattern

#Milan Polivka¹, Martin Syrový¹, David Vrba¹, Alois Holub¹, Milan Svanda¹
Czech Technical University in Prague, Dept. of Electromagnetic Field
Technická 2, Prague 6, 166 27, Czech Republic
polivka@fel.cvut.cz, martinsyrový@quick.cz, vrbad1@fel.cvut.cz,
alois.holub@seznam.cz, svandm1@fel.cvut.cz

1. Introduction

One of the first metamaterial (MTM) cell-based antenna has probably been proposed by Schussler et al. [1] as patch loaded with LC cell to realize transmission line with negative phase velocity to shorten the patch radiator size. Similar structure has been then proposed by Sanada et al [2] in composite right/left-handed transmission line (CRLH TL) planar technology [3] as so called zero-order resonator antenna. Further similar arrangement with two parallel MTM cells vertical vias has been proposed latter by Qureshi et al. [4]. In [4] the main current source areas are concentrated on the vias that are excited in-phase so that the antenna exhibit monopole-like radiation pattern. One of the further presented design [5] has brought just realization with MTM transmission line that exhibit either negative permittivity or negative permeability. The monopole-like radiation pattern remains the same.

Here we present novel ZOR MTM radiation structure in composite right/left-handed micro-coplanar transmission line (CRLH MC TL) [6] which exhibits both-side broadside radiation pattern (radiation maximum is normal to the structure surface). Description of the MTM unit cell, the whole structure itself, current distribution, measured antenna parameters as well as comparison with simple half wavelength microstrip patch is presented here.

2. ZOR MTM Antenna with broadside radiation pattern

The size of the MTM cells and the whole four element structure has been chosen so that the antenna matches the criteria of electrically small antenna ($ka < 1 \Rightarrow a < \sim \lambda/6$). The CRLH MC unit cell with its equivalent circuit can be seen in Figure 1.




Figure 1: Unit cell of designed ZOR MTM Antenna, designed as unbalanced case, $C_L = 0.6$ pF, $L_R = 2.35$ nH, $C_R = 1.0$ pF, $L_L = 0.7$ nH (a) view and equivalent circuit (b) dispersion relation

It is designed as unbalanced as the balanced one require higher value of left-handed inductor L_L (~ 4 nH) which corresponds with the approx. wire length of 10 mm which is consider to much for intended electrically small antenna. That's why the stop-band occurs in the dispersion

relation (see Figure 1b). The whole structure with four MTM cells can be seen in the figure 2a) and occupies the footprint size approx. 9.35×9.35 mm. The height 3.5 mm consist of 1.5 mm of dielectric substrate (GML 1000 with $\epsilon_r = 3.05$, $h = 1.5$ mm a $\tan \delta = 0.003$) and the wire air bridges of the 2 mm height. The maximal current distribution is concentrated along the slot of the MC TL (see Figure 2c) that indicates both-side broadside radiation pattern which has been confirmed by the measurement.




Figure 2: Sketch (a), photograph (b), the current distribution (c) and reflection coefficient of the designed four-element ZOR MTM antenna

The zero order resonance has been design to be at $f_{ZOR} = 5.6$ GHz. The agreement of simulated and measured f_{ZOR} has been found perfect while the negative resonances has been a little bit shifted and positive resonances has not been distinguished in simulation to well. The measured antenna efficiency has been evaluated from measured radiation pattern and gain (see Table 1).

Table 1: Simulated and Measured directivity and gain of the ZOR MTM antenna

	Frequency [GHz]	Radiation efficiency [%]	Antenna efficiency [%]	Directivity [dBi]	Gain [dBi]
Simulated	5,6	61	58	2,6	0,1
Measured	5,6	-	54	4,8	2,1

The simulated and measured radiation patterns can be seen in figure 3. The minima in simulated pattern are due to the infinite extent of the dielectric substrate used by the IE3D simulator.




Figure 3: Simulated (IE3D) and measured radiation patterns at $f = 5.6$ GHz.

3. Comparison of ZOR MTM antenna with simple patch antenna

Comparison of the designed ZOR MTM antenna with the same sized half wave-length patch antenna is presented in Figure 4. The decreasing of resonant frequency of the ZOR MTM antenna is done by factor of a 2.21 which represent possible size reduction of the ZOR MTM antenna $\sim 45\%$ when the same resonant frequency is considered.




Figure 4: Comparison of simulated resonant frequencies of ZOR MTM antenna ($f_r = 5.6$ GHz) with half wavelength patch ($f_r = 12.4$ GHz) of the same size. Decreasing of resonant frequency of ZOR MTM antenna is done by factor of 2.21

5. Conclusion

A novel electrically small low-profile ($\sim 0.18 \times 0.18 \times 0.065 \lambda_0$) ZOR MTM antenna in micro-coplanar TL with both-side broadside radiation pattern has been developed, realized and measured. Its type of radiation characteristic is considered unique compared to previously published designs. Its measured radiation efficiency and gain as one the main antenna parameters are 54 % and 2.1 dBi, respectively. Compared to the same sized simple patch antenna, the ZOR MTM antenna exhibits decreased of resonant frequency by a factor of 2.21.

Acknowledgement

This work has supported in part by the Grant Agency of the Czech Republic project No. 102/08/1282 “Artificial electromagnetic structures for miniaturization of high-frequency and microwave radiation and circuit elements” and by the Czech Ministry of Education, Youth and Sports within the project Research in the Area of the Prospective Information and Navigation Technologies MSM 6840770014.

References

- [1] M. Schussler, M. Oertel, C. Fritsche, J. Freese, R. Jakoby, „Design of periodically L-C loaded patch antennas, 27th ESA Antenna Technology Workshop on Innovative Periodic Antennas, March 2004, Santiago de Compostela, Spain.
- [2] A. Sanada, M. Kimura, I. Akai, H. Kubo, C. Caloz, T. Itoh, „A Planar zeroth order resonator antenna uUsing left-handed transmission line,“ CD ROM Proc. of European Microwave Conference, Amsterdam, the Netherlands, 2004.
- [3] Lai, A., Caloz, C., Itoh, T., “Composite right/left-handed transmission line Metamaterials,” *IEEE Microwave Magazine*, vol. 5, No. 3, September 2004, p. 34-50.
- [4] F. Qureshi, M. A. Antoniadis, G. V. Eleftheriades, „A Compact and low-profile metamaterial ring antenna with vertical polarization,“ *IEEE Antennas and Wireless Propagation Letters*, vol. 4, 2005, p. 333-336.
- [5] J.-H. Park, Y.-H. Ryu, J.-G. Lee, J.-H. Lee, „A Zeroth-order resonator antenna using epsilon negative meta-structured transmission line,“ CR ROM Proc. of IEEE Antennas and Prop. Symposium, Honolulu, Hawaii, 2007.
- [6] M. Syrový, „Electrically small antenna with metamaterial cells, diploma thesis,“ CTU in Prague, 2008, in Czech.