

IEICE Proceeding Series

Simplified models for Intrinsic Localized Mode dynamics

Daniel Brake, Vakhtang Putkaradze

Vol. 1 pp. 411-414

Publication Date: 2014/03/17

Online ISSN: 2188-5079

Downloaded from www.proceeding.ieice.org



Simplified models for Intrinsic Localized Mode dynamics

Daniel Brake^{1,*} and Vakhtang Putkaradze^{1,2}

¹ Department of Mathematics, 101 Weber Hall
 Colorado State University, Fort Collins CO 80523

² Department of Mathematics, 632 CAB,
 University of Alberta, Edmonton, Alberta T6G 2G1

* presenting author: brake@math.colostate.edu

Abstract—We discuss possible application of Intrinsic Localized Modes (ILM) in nano pillar arrays to sensing. When a molecule attaches to a pillar, it causes a change in the pillar’s natural frequency. The idea of the method is to use ILMs to detect this defect in the array. We outline some difficulties posed by visualization of nanoscale vibrations. As a first step in theoretical understanding of ILM dynamics in the presence of defects, we use variational models to derive simplified equations of motion for ILMs.

1. Introduction

Intrinsic Localized Modes (ILMs) occurs in a wide variety of systems of coupled nonlinear oscillators. ILMs were first discovered in [1, 2], and since then the existence of ILMs as been demonstrated in a wide variety of physical experiments and models, and for a variety of nonlinearities – see *e.g.* [3]. The most common apparatus for the study of ILM is the micro-mechanical array [4, 5, 6, 7, 8, 9]. Additionally, many different forms of ILM have been investigated, such as ‘twisted un/staggered modes’ [10] and ‘bright compact breathers’ [11]. Furthermore, there has been considerable investigation in the theoretical analysis and practical applications of these structures, at both the microscopic and macroscopic scales. We refer the reader to the exhaustive review article [6] which discusses ILM history, experiments and theory in detail.

There has been substantial interest in application of resonators to sensing. Previous studies employing micro-mechanical cantilevers for use in sensing have monitored frequency shift upon attachment of particles or molecules [12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22]. It has been demonstrated that micro- and nano mechanical sensors can afford single molecule, or even atom, sensitivity, achieved by producing a very high Q-factor resonator and measuring frequency shift upon attachment of a particle. The use of multiple resonators has been suggested for multi-channel sensing applications [23]. However, as far as we are aware, there has not been any work on single molecule detection utilizing

the amplitude of oscillations of nano mechanical arrays, although these ideas have been tested on the micro scale, see *e.g.* [7]. The scaling of ILM-based sensors to nanoscale presents several challenges, the most important being impossibility of visualization of motion using any light of near-visible spectrum. We refer the reader to our recent paper [24] for the discussion of challenges of nanoscale dynamics, methods of solutions and some theory behind visualization of the dynamics of nano pillar arrays.

One of the most crucial parts of the sensor based applications of ILMs is the analysis of defect pinning for ILMs. A molecule attached to a resonator in an array introduces a localized impurity in the array. As the detailed direct analysis of the ILM dynamics with impurity is seemingly impossible to track analytically, in this manuscript we shall concentrate on the derivation of approximate methods of analysis. Our methods are based on the variational approach which has been successfully applied to *e.g.*, the Discrete Nonlinear Schrödinger equations with impurity [25]. We show that while there are some differences with that system, in general one can demonstrate the defect influence on ILM using variational methods.

2. Derivation of Equations

For the purpose of this manuscript, we shall only consider one dimensional deflection of oscillators. As we discuss in [24], to accurately model nano mechanical arrays, one needs to consider two dimensional vibrations, but this is left for future consideration. For now, define u_n be the deflection of the n th pillar. In order to use the variational approach, we define the kinetic and potential energies

$$\mathbb{K} = \frac{1}{2} \sum u_n^2 \quad (1)$$

$$\mathbb{P} = \sum_n \frac{\alpha_1}{2} u_n^2 + \frac{\alpha_2}{2} (\nabla_n u)^2 + \frac{\beta_1}{4} u_n^4 + \frac{\beta_2}{4} (\nabla_n)^4 \quad (2)$$

where we have defined the discrete gradient $\nabla_n f := f_n - f_{n-1}$. The equations of motion are Hamiltonian,

with $\mathbb{H} = \mathbb{K} + \mathbb{P}$. Defining the canonical pair (p_n, u_n) , and doing Legendre transform of the Lagrangian $L = \mathbb{K} - \mathbb{P}$, we see that the momenta are simply $p_n = \dot{u}_n$. The Hamiltonian equations of motion are

$$\begin{aligned} \dot{u}_k &= p_k \\ \dot{p}_k &= -\alpha_1 u_k - \alpha_2 (\nabla_k^2 u) - \beta_1 u_k^3 - \beta_2 \nabla_k (\nabla_k u)^3 \end{aligned} \quad (3)$$

For a simplified theory of ILM motion, let us first consider an ILM of the following approximate form:

$$u_n = A(t) \exp(-\lambda|n - x(t)|) (-1)^n \cos(\omega t). \quad (4)$$

If x is an integer or half-integer, (4) is an accurate approximation of either Sievers-Takeno [1] or Page [2] type. If x is an arbitrary real number, shape (4) should approximate the intermediate form of ILM.

We will consider two particular cases. First, $x(t)$ is assumed to depend on time, but the amplitude A of ILM is fixed. As we show, this leads to rather simple, but perhaps too simplistic to accurately describe complex behavior of solutions to (3). We continue by allowing $A(t)$, to vary with time, which can lead to more realistic behavior.

3. Simplistic Consideration

We shall consider the solution (4) with $A(t) := A = \text{const}$ and $x(t)$ varying with time. While the practical value of this method may be limited, it allows complete analytical solution of the problem and thus is interesting from at least the pedagogical point of view. Substituting (4) into (1,2) and averaging over a period $T = 2\pi/\omega$, we see that the two-variable kinetic and potential energies, respectively $\overline{\mathbb{K}}_2$ and $\overline{\mathbb{P}}_2$, are approximated as:

$$\overline{\mathbb{K}}_2 = \dot{x}^2 f(x), \quad \overline{\mathbb{P}}_2 = g(x), \quad (5)$$

where $f(x)$ and $g(x)$ are periodic functions of x with period 1, with discontinuities at integer values of x . An example of these functions with $A = 1$ is presented on Figure 1. We do not present explicit expression for $g(x)$ here as it is quite cumbersome.

The reduced averaged Lagrangian is then $\overline{L}(x, \dot{x}) = \frac{1}{2} \dot{x}^2 f(x) - g(x)$. The generalized momentum is $p = \partial L / \partial \dot{x} = \dot{x} f(x)$, so the generalized velocity is expressed as $\dot{x} = p / f(x)$. The reduced Hamiltonian H_0 is then given by

$$H_0 = \frac{p^2}{2f(x)} + g(x) \quad (6)$$

The equations of motion are then:

$$\dot{x} = \frac{\partial H_0}{\partial p} = \frac{p}{f(x)} \quad (7)$$

$$\dot{p} = -\frac{\partial H_0}{\partial x} = \frac{p^2}{2f(x)^2} f'(x) - g'(x) \quad (8)$$




Figure 1: Example plots of f (dashed) and g (dotted) for the simple 2D system. Both are periodic with period 1, corresponding to normalization of distance between pillars on the array.




Figure 2: Level sets of the Hamiltonian (6). Trajectories are either oscillatory or escaping.

From (6) we conclude that in the (p, x) plane, the solution is given by the level curves $\frac{p^2}{2f(x)} + g(x) = \text{const}$; the speed of trajectory along these curves is given by (7,8). In practice, and as seen in Figure 2 the only possible solutions for $x(t)$ and $p(t)$ are either oscillatory or escaping trajectories.

4. Coordinate-Amplitude approach

To make the approximate system more realistic, we now consider the case when both the coordinate $x(t)$ and amplitude $A(t)$ in (4) are allowed to vary. Proceeding similarly to the previous case, the reduced averaged kinetic and potential energies are now given by

$$\overline{\mathbb{K}}_4 = F_1(x) \dot{A}^2 + F_2(x) \dot{x}^2 + F_3(x) \dot{A} \dot{x} \quad (9)$$

$$\overline{\mathbb{P}}_4 = g(x, A), \quad (10)$$

where $F_i(x)$ are some functions of x , similar to $f(x)$ in (5). By computing the Lagrangian and proceeding in the standard way to compute generalized momenta




Figure 3: Four example paths of ILM across infinite oscillator array, changing only initial position; all other parameters remain fixed. The change of ILM position appears chaotic. The ILMs travel through the array, eventually pinning on or halfway between pillars. The color of each path indicates the amplitude A , with darker blue being smaller, and red being larger.

P_x, P_A , we see that

$$P_x = F_2\dot{x} + F_3\dot{A}, \quad P_A = F_1\dot{A} + F_3\dot{x}. \quad (11)$$

Defining $\Delta = F_1F_2 - F_3^2$, the Hamiltonian is

$$H_A = \frac{1}{\Delta} \left(\frac{F_1}{2} P_x^2 + \frac{F_2}{2} P_A^2 + F_3 P_A P_x \right) + g. \quad (12)$$

Again omitting cumbersome expressions for $g(x, A)$ and with $\xi_{i,x} = \frac{\partial F_i/\Delta}{\partial x}$, $\xi_{i,A} = \frac{\partial F_i/\Delta}{\partial A}$, the Hamiltonian equations for the canonically conjugated (x, p_x, A, p_A) are:

$$\begin{aligned} \dot{x} &= \frac{F_1 P_x - F_3 P_A}{\Delta}, \quad \dot{A} = \frac{F_2 P_A - F_3 P_x}{\Delta} \quad (13) \\ \dot{P}_x &= -\xi_{1,x} P_x^2 - \xi_{2,x} P_A^2 - \xi_{3,x} P_A P_x - \frac{\partial g}{\partial x} \\ \dot{P}_A &= -\xi_{1,A} P_x^2 - \xi_{2,A} P_A^2 - \xi_{3,A} P_A P_x - \frac{\partial g}{\partial A} \end{aligned}$$

The term Δ is homogeneous degree 2 in A , implying that the system (13) has a singularity at $A = 0$. Despite this singularity, simulation of the reduced system (13) is reasonably well behaved. Examples are given in Figure 3, in which four initial x values are plotted, with all other system parameters remaining fixed. In all shown cases, the ILM travels across the array in what appears to be a chaotic fashion before becoming pinned at either a pillar, or halfway between two pillars.

Solving the system (13) for equilibria solutions, one derives the steady solution $(\tilde{x}, \tilde{A}, \tilde{P}_x, \tilde{P}_A) = (x_0, 0, 0, 0)$ which actually indicates that no ILM is present. However, $\tilde{A} = 0$ indicates that the ILM has vanished, so this is a degenerate solution. When the system reaches $\tilde{A} = 0$, the momentum diverges to

compensate for the vanishing amplitude. Continuation through this singularity does not appear to be possible. This degenerate solution seems to appear seldom in simulations; the detailed reason for this behavior will be explained later.

In order to understand the effect of defects on ILMs, the equations above can be modified to take into account a pillar which has a different parameter value than the rest of the array. For example, change in k_0 -th pillar's mass under attachment affects α_1 at that pillar, so we modify α_1 at the location k_0 by a defect α_D . The result of this is the addition of the term $D = A^2/2\alpha_D \exp(-2\lambda|x - k_0|)$ to g in (12). This procedure introduces a force acting on an ILM. In general, one thus concludes that a defect affects ILM through the force that is exponentially decaying with the distance between ILM and the defect. In the following work, we will present a detailed analysis of the defect pinning or repulsion for ILM, which is made possible through this procedure.

5. Conclusion

In this paper, we have derived an approximate variational approach that is capable to describe moving ILMs as well as influence of defects on ILM motion. Only the derivation is presented here, detailed analysis of the system will be addressed in our future work. We believe that such approximate methods are highly useful in analysis of ILM dynamics and subsequent sensor applications.

Acknowledgements

We have benefitted from fruitful discussions with Profs. G. Balakrishnan, T. Hikihara, M. Kimura, M. Sato, and M. Marconi. This project received support from the Defense Threat Reduction Agency – Joint Science and Technology Office for Chemical and Biological Defense (Grant no. HDTRA1-10-1-007).

References

- [1] A. J. Sievers and S. Takeno, “Intrinsic localized modes in anharmonic crystals,” *Phys. Rev. Lett.*, vol. 61, no. 8, pp. 970–973, Aug 1988.
- [2] J. B. Page, “Asymptotic solutions for localized vibrational modes in strongly anharmonic periodic systems,” *Phys. Rev. B*, vol. 41, no. 11, pp. 7835–7838, Apr 1990.
- [3] G. Huang, Z. Shi, and Z. Xu, “Assymmetric intrinsic localized modes in a homogeneous lattice with cubic and quartic anharmonicity,” *Physical Review B*, vol. 47, no. 21, June 1993.

- [4] M. Sato, B. E. Hubbard, L. Q. English, A. J. Sievers, B. Ilic, D. A. Czaplewski, and H. G. Craighead, "Study of intrinsic localized vibrational modes in micromechanical oscillator arrays," *Chaos*, vol. 13, no. 2, p. 702, May 2003.
- [5] M. Sato, B. E. Hubbard, A. J. Sievers, B. Ilic, D. A. Czaplewski, and H. G. Craighead, "Observation of locked intrinsic localized vibrational modes in a micromechanical oscillator array," *Phys. Rev. Lett.*, vol. 90, no. 4, p. 044102, Jan 2003.
- [6] M. Sato, B. E. Hubbard, and A. J. Sievers, "Colloquium: Nonlinear energy localization and its manipulation in micromechanical oscillator arrays," *Rev. Mod. Phys.*, vol. 78, no. 1, pp. 137–157, Jan 2006.
- [7] M. Sato and A. J. Sievers, "Visualizing intrinsic localized modes with a nonlinear micromechanical array," *Low Temperature Physics*, vol. 34, no. 7, pp. 543–548, 2008.
- [8] M. Kimura and T. Hikihara, "Capture and release of traveling intrinsic localized mode in coupled cantilever array," *Chaos*, vol. 19, no. 1, p. 13138, 2009.
- [9] —, "Coupled cantilever array with tunable on-site nonlinearity and observation of localized oscillations," *Physics Letters A*, vol. 373, no. 14, pp. 1257 – 1260, 2009.
- [10] P. Kevrekidis, A. Bishop, and K. O. Rasmussen, "Twisted localized modes," *Physical Review E*, vol. 63, no. 3, 2001.
- [11] P. G. Kevrekidis and V. V. Konotop, "Bright compact breathers," *Phys. Rev. E*, vol. 65, no. 6, p. 066614, Jun 2002.
- [12] T. Thundat, G. Y. Chen, R. J. Wannack, D. P. Allison, and E. A. Wachter, "Vapor detection using resonating microcantilevers," *Anal. Chem.*, vol. 67, pp. 519–521, 1995.
- [13] C. Hierold, "From micro- to nanosystems: mechanical sensors go nano," *J. Micromech. Engr.*, vol. 14, pp. S1–S11, 2004.
- [14] R. Mukhopadhyay, V. V. Sumbayev, M. Lorentzen, J. Kjems, P. A. Andreasen, and F. Besenbacher, "Cantilever sensor for nanomechanical detection of specific protein conformations," *Nano Lett.*, vol. 5, pp. 2385–2388, 2005.
- [15] K. L. Ekinici and M. L. Roukes, "Nanoelectromechanical systems," *Rev. Sci. Instruments*, vol. 76, p. 061101, 2005.
- [16] L. Fischer, V. A. Wright, C. Guthy, N. Yang, M. T. McDermott, J. Buriakb, and S. Evoy, "Specific detection of proteins using nanomechanical resonators," *Sensors and Actuators B: Chemical*, vol. 134, p. 613617, 2008.
- [17] L. Carrascosa, M. Moreno, M. Alvarez, and L. Lechuga, "Nanomechanical biosensors: a new sensing tool," *Trends in Anal. Chem.*, vol. 25, pp. 196–206, 2006.
- [18] J. Verd, A. Uranga, G. Abadal, J. Teva, F. Torres, F. Perez-Murano, J. Fraxedas, J. Esteve, and N. Barniol, "Monolithic mass sensor fabricated using a conventional technology with attogram resolution in air conditions," *Applied Physics Letters*, vol. 91, no. 1, p. 013501, 2007.
- [19] X. L. Feng, R. He, P. Yang, and M. L. Roukes, "Very high frequency silicon nanowire electromechanical resonators," *Nano Lett.*, vol. 7, pp. 1953–1959, 2007.
- [20] M. Belov, N. J. Quitariano, S. Sharma, W. K. Hiebert, T. I. Kamins, , and S. Evoy, "Mechanical resonance of clamped silicon nanowires measured by optical interferometry," *J. Applied Physics*, vol. 103, p. 074304, 2008.
- [21] K. Jensen, K. Kim, and A. Zettl, "An atomic-resolution nanomechanical mass sensor," *Nature Nanotech.*, vol. 3, pp. 533–537, 2008.
- [22] E. Gil-Santos, D. Ramos, J. Martinez, M. Fernandez-Regulez, R. Garca, A. S. Paulo, M. Calleja, and J. Tamayo, "Nanomechanical mass sensing and stiffness spectrometry based on two-dimensional vibrations of resonant nanowires," *Nano Lett.*, vol. 5, pp. 641–645, 2010.
- [23] J. Pepper, R. Noring, M. Klempner, B. Cunningham, A. Petrovich, R. Bousquet, C. Clapp, J. Brady, and B. Hugh, "Detection of proteins and intact microorganisms using microfabricated flexural plate silicon resonator arrays," *Sensors and Actuators B: Chemical*, vol. 96, pp. 565–575, 2003.
- [24] D. Brake, H. Xu, A. Hollowell, G. Balakrishnan, C. Hains, E. Malm, M. Marconi, and V. Putkaradze, "Intrinsic localized modes in two-dimensional vibrations of crystalline pillars and their application for sensing," *Applied Physics Express, under consideration*, 2012.
- [25] B. A. M. Valeriy A. Brazhnyi, "Localization and delocalization of two-dimensional discrete solitons pinned to linear and nonlinear defects," *Phys. Rev. E*, vol. 83, p. 016604, 2011.